


Listing of Claims

1 (currently amended). A compound having the formula:




wherein:

n is an integer of at least 1;

R¹ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

R³ is selected from H and R¹;

R² is selected from H, R¹, alkyl, fluoroalkyl, Cl, Br, I and an arylamino group of formula (II),



wherein R⁴ is selected from aryl, H, R¹, alkyl, and fluoroalkyl;

R⁷ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, preferably up to 7 fluorine atoms; and

E is selected from O, S, $(\text{SiR}^5\text{R}^6)_m$ wherein m is an integer of 1 to 20, $(\text{CR}^5\text{R}^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof, wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, and fluoroaryloxy and wherein R^5 and R^6 can, when taken together, form a ring, provided that when E is $(\text{CR}^5\text{R}^6)_m$, and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon, and provided that when E is $(\text{SiR}^5\text{R}^6)_m$ and m is 1, R^3 is selected from phenyl, 1-naphthyl, and 2-naphthyl.

2 (original). The compound of claim 1, and wherein R^5 and R^6 , when taken together, form a non-aromatic ring.

3 (original). The compound of claim 1 wherein n is greater than 1.

4 (original). The compound of claim 2 wherein R^1 is different at each occurrence.


5 (original). The compound of claim 1 wherein R^2 is H.

6 (original). The composition of claim 5 wherein R^3 is aryl.

7 (original). The compound of claim 1 wherein R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl.


8 (original). The compound of claim 1 wherein $n = 1$, R^2 is H, and R^3 is selected from phenyl, 1-naphthyl, and 2-naphthyl.

9 (previously presented). A compound of formula (III):



wherein

n is an integer of at least 1, R¹ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl; R² is selected from H, R¹, alkyl, fluoroalkyl, Cl, Br, I and arylamino of formula (II)



R⁴ is selected from aryl, H, R¹, alkyl, fluoroalkyl; R⁷ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, preferably up to 7 fluorine atoms; and

E is selected from O, S, (SiR⁵R⁶)_m wherein m is an integer of 1 to 20, (CR⁵R⁶)_m wherein m is an integer of 1 to 20, and combinations thereof, and can be different at each occurrence, wherein R⁵ and R⁶ are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, and fluoroaryloxy and wherein R⁵ and R⁶ can, when taken together, form a ring, provided that when E is (CR⁵R⁶)_m, and m is 1, then n is greater than 1 and at least one of R⁵ and R⁶ is not hydrogen or a hydrocarbon, and when E = O or S, R² is not H.

10 (original). The compound of claim 9 wherein R^1 is different at each occurrence.

11 (original). The compound of claim 9, wherein R^5 and R^6 , when taken together, form a non-aromatic ring.

12 (canceled)

13 (previously presented). The compound of claim 9 wherein R^2 is aryl.

14 (original). The compound of claim 9 wherein R^4 is aryl.

15 (original). The compound of claim 9 wherein R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl.


16 (previously presented). The compound of claim 9 wherein $n = 1$, R^2 is H, and R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl.

17 (original). The compound of claim 9 wherein at least one aromatic ring in the compound of formula (III) has a substituent selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, and fluoroaryloxy.

18 (original). The compound of claim 9 wherein substituents on two neighboring aromatic rings in the compound of formula (III) together form an aromatic or non-aromatic ring.

19 (original). The compound of claim 9 wherein adjacent substituents on at least one aromatic ring together form a fused aromatic or non-aromatic ring.

20 (currently amended). A composition comprising a compound of at least one compound selected from:



(I)


wherein:

n is an integer of at least 1;

R¹ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

R³ is selected from H and R¹;

R² is selected from H, R¹, alkyl, fluoroalkyl, Cl, Br, I and an arylamino group of formula (II),




(II)

wherein R⁴ is selected from aryl, H, R¹, alkyl, and fluoroalkyl;

R⁷ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, preferably up to 7 fluorine atoms; and

E is selected from O, S, $(\text{SiR}^5\text{R}^6)_m$ wherein m is an integer of 1 to 20, $(\text{CR}^5\text{R}^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof, wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, and fluoroaryloxy and wherein R^5 and R^6 can, when taken together, form a ring, provided that when E is $(\text{CR}^5\text{R}^6)_m$, and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon, and provided that when E is $(\text{SiR}^5\text{R}^6)_m$ and m is 1, R^3 is selected from phenyl, 1-naphthyl[,] and 2-naphthyl,


and



(III)

wherein

n is an integer of at least 1, R^1 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl; R^2 is selected from H, R^1 , alkyl, fluoroalkyl, Cl, Br, I and arylamino of formula (II)



(II)

R^4 is selected from aryl, H, R^1 , alkyl, fluoroalkyl; R^7 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, preferably up to 7 fluorine atoms; and


E is selected from O, S, $(SiR^5R^6)_m$ wherein m is an integer of 1 to 20, $(CR^5R^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof, and can be different at each occurrence, wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, and fluoroaryloxy and wherein R^5 and R^6 can, when taken together, form a non-aromatic ring, provided that when E is $(CR^5R^6)_m$, and n is greater than 1 and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon, and when E = O or S, R^2 is not H.

21 (original). An electronic device comprising at least one layer comprising at least one compound selected from the compounds of Claim 1 or Claim 9.

22 (original). The device of Claim 21, wherein the layer is a charge transport layer.

23 (original). The device of Claim 21, wherein the layer is a light-emitting layer.

24 (currently amended). A process for producing a polymer, comprising:
(a) providing two or more compounds having the formulae (I) or (III):




wherein:

n is an integer of at least 1;

R^1 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

R^3 is selected from H and R^1 ;

R^2 is selected from H, R^1 , alkyl, fluoroalkyl, Cl, Br, I and an arylamino group of formula (II),




(II)

wherein R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl; R^7 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, preferably up to 7 fluorine atoms; and


E is selected from O, S, $(SiR^5R^6)_m$ wherein m is an integer of 1 to 20, $(CR^5R^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof, wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, and fluoroaryloxy and wherein R^5 and R^6 can, when taken together, form a non-aromatic ring, provided that when E is $(CR^5R^6)_m$, and n is greater than 1 and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon

or



wherein

n is an integer of at least 1, R¹ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl and may be different at each occurrence; R² is selected from H, R¹, alkyl, fluoroalkyl, Cl, Br, I and arylamino of formula (II)



R⁴ is selected from aryl, H, R¹, alkyl, fluoroalkyl; R⁷ is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, preferably up to 7 fluorine atoms; and

E is selected from O, S, (SiR⁵R⁶)_m wherein m is an integer of 1 to 20, (CR⁵R⁶)_m wherein m is an integer of 1 to 20, and combinations thereof, and can be different at each occurrence, wherein R⁵ and R⁶ are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, and fluoroaryloxy and wherein R⁵ and R⁶ can, when taken together, form a non-aromatic ring, provided that when E is (CR⁵R⁶)_m, and n is greater than 1 and m is 1, at least one of R⁵ and R⁶ is not hydrogen or a hydrocarbon, and when E = O, R² is not H[.];

(b) reacting said compounds in the presence of a copper, nickel, or palladium catalyst while maintaining said compounds at a temperature of 22°C to 150°C for 24 to 92 hours, to form a first polymer;

(c) treating said polymer with an endcapping group to form a capped polymer;
and

(d) further reacting said capped polymer for 24 to 48 hours to produce said polymer.

25 (original). The device of Claim 21, wherein the device is selected from a light-emitting diode, a light-emitting diode display, a laser diode, a photodetector, photoconductive cell, photoresistor, photoswitch, phototransistor, phototube, IR-detector, photovoltaic device, solar cell, transistor or diode.